


Measurement of Anti-TNF alpha Drugs - routine request form

Referring laboratory details:		 <p>Please send sample and completed form to: Viapath Central Specimen Reception (SP Unit), 5th Floor, North Wing, St Thomas' Hospital, Lambeth Palace Road, London, SE1 7EH (Tel: 020 7188 3242)</p>
--------------------------------------	--	--

Patient Details:		
Please apply sticker		
Patient Name:		
Gender: Male /Female		
Hospital number:		
Date of Birth:		
Laboratory number / your reference:		
Clinical details:		
Consultant:		
Location/Ward:		
Tests required:		
Tests:	<p>Test required (please tick):</p> <p><input type="checkbox"/> Infliximab (Remicade®) (BIFXP)</p> <p><u>Infliximab biosimilars :</u></p> <p>InflectraTM (BIFXP) <input type="checkbox"/></p> <p>RemsimaTM (BIFXP) <input type="checkbox"/></p> <p><input type="checkbox"/> Adalimumab (Humira®) (ADAL)</p> <p><input type="checkbox"/> Etanercept (Enbrel®) (BETAP)</p> <p><input type="checkbox"/> Certolizumab Pegol (Cimzia®)</p> <p>By prior arrangement only</p>	<p>Analysis will include BOTH drug and anti-drug antibody analysis.</p>
Date and time of sample		

Sample requirements:

Serum sample required. Collect blood into a serum separation (SSTTM) or plain tube, preferably shortly before drug administration (trough levels). Centrifuge sample at 3000 rpm for 10 minutes, aliquot serum and keep in fridge until transport. If transport is going to be delayed by more than 5 days, freeze at -20°C. Post the sample to Viapath by first class post with this form. Minimum 300µL serum required for both drug and anti-drug antibody analysis.

For Certolizumab analysis please email Zehra.Arkir@viapath.co.uk or Nick.Unsworth@viapath.co.uk or Gillian.Richards@viapath.co.uk

For CSR/Viapath lab use only: Please book in request using BIFXP, ADAL or BETAP test profiles and store sample at -20°C in SPU freezer with the request form.