

<u>Dihydrotestosterone (DHT) and testosterone profile by LC-MS/MS reference ranges</u>

1. DHT reference range

| Age | Male | Female |
|--------------|--------------------------------|-------------------------|
| <6 months | No range, interpretive comment | N/A |
| Pre-pubertal | <0.16 | <0.16 |
| Adult | 0.28 – 2.51 | <0.52 |
| | | <0.30 (post-menopausal) |

2. Testosterone (LC-MS/MS) reference range

| Age | Male | Female |
|--------------|------------|-----------|
| <6 months | <13.9 | <0.4 |
| Pre-pubertal | <0.4 | <0.4 |
| Adult | 8.3 – 33.0 | 0.3 – 2.1 |

3. Testosterone: DHT ratio

| Age | Male | Female |
|-------|------------|-----------|
| Adult | 6.2 – 17.2 | 0.9 - 6.5 |

No T:DHT ratio reference range has been derived in paediatric patients, therefore and interpretive comment will be added to samples from paediatric patients, as well as the adult reference range as a guide.

4. hCG stimulation test

No reference range is provided for hCG stimulation tests, due to a lack of published LC-MS/MS data. Instead each case is commented on individually.

In house data indicate that 5α -reductase deficiency would be most unlikely with stimulated T:DHT ratios up to around 20 by LC-MS/MS. Ratios greater than this will require individual consideration, including taking into account the fold increase from baseline.